Toxicology Letters, 59 (1991) 255–257
Elsevier

AUTHOR INDEX VOL. 59 (1991)

Albrecht, J., Durable inhibition of rat cerebral capillary Na^+/K^+-ATPase after in vivo administration of mercuric chloride, 133
Alper, R.H., see Stahl, B.U., 65
Ansari, G.A.S., see Bhat, H.K., 203
Asimakis, G.K., see Bhat, H.K., 203
Auten, K.L., see DelRaso, N.J., 41

Babish, J.G., see Ma, X., 51
Ban, M., see De Ceaurriz, J., 139
Behari, J.R., see Srivastava, S., 125
Berg, K.J. v.d., see van Raaij, J.A.G.M., 101
Bhat, H.K., Asimakis G.K. and Ansari, G.A.S., Uncoupling of oxidative phosphorylation in rat liver mitochondria by chloroethanols, 203
Borzelleca, J.F., Commentary on 'Assessment of safety/risk of chemicals: inception and evolution of the ADI and dose–response modeling procedures' by Frank C. Lu and Robert L. Sielken Jr., 1

Chen, G.-J., Pillai R., Erickson J.R., Martinez F., Estrada A.L. and Watson, R.R., Cocaine immunotoxicity: abnormal cytokine production in Hispanic drug users, 81
Christensen, D.A., see Olkowski, A.A., 153
Chung, K.T., see Wei, C.I., 213
Conrad, C.A., see Zettergren, L.D., 221

De Ceaurriz, J. and Ban, M., Effects of probenecid and acivicin on potassium dichromate-induced acute nephrotoxicity in mice, 139
DelRaso, N.J., Auten K.L., Higman H.C. and Leahy, H.F., Evidence of hepatic conversion of C_6 and C_8 chlorotrifluoroethylene (CTFE) oligomers to their corresponding CTFE acids, 41

Erickson, J.R., see Chen, G.-J., 81
Estrada, A.L., see Chen, G.-J., 81

Fang, J. and Gorrod, J.W., Dehydration is the first step in the bioactivation of haloperidol to its pyridinium metabolite, 117
Fernando, S.Y., see Wei, C.I., 213
Fogelson, L., see Gordon, C.J., 161
Francetic, D.J., see Roberts, J.C., 245
Fujii, T., see Ogawa, Y., 59
Fujikake, N., see Ogawa, Y., 59

Gibbons, J.A., see Ma, X., 51
Goodrich, M.S., see Zettergren, L.D., 221
Gooneratne, S.R., see Olkowski, A.A., 153
Gordon, C.J., Fogelson L., Richards, J. and Highfill, J., Relationship between cholinesterase inhibition and thermoregulation following exposure to diisopropyl fluorophosphate in the rat, 161
Gorrod, J.W., see Fang, J., 117
Gupta, S., see Srivastava, S., 125

Haataja, L., Vartiainen T., Lampelo S., Lötjönen S. and Tuomisto, J., Binding of the strong bacterial mutagen, 3-chloro-4- (dichloromethyl)-5-hydroxy-2(5*H*)- furanone (MX) to bovine serum albumin, 187
Hammock, B.D., see Moody, D.E., 175
Highfill, J., see Gordon, C.J., 161
Higman, H.C., see DelRaso, N.J., 41
Hijioka, T., Keller B.J. and Thurman, R.G., Wy-14,643 but not 2-ethylhexanol increases intracellular free calcium in cultured Kupffer cells, 239
Hirai, Y., see Tomokuni, K., 169
Huang, T.S., see Wei, C.I., 213
Hurtt, M.E., McCooey K.T., Placke, M.E. and Kennedy, G.L., Ten-day repeated-exposure inhalation study of dimethylformamide (DMF) in cynomolgus monkeys, 229

Ichiba, M., see Tomokuni, K., 169

Keller, B.J., see Hijioka, T., 239
Kennedy, G.L., see Hurtt, M.E., 229
Kim, B.R. and Yang, K.H., Effects of sinefungin and 5'-deoxy-5'-S-isobutyl- adenosine on lipopolysaccharide-induced proliferation and protein *N*-methylation of arginyl residues in murine splenic lymphocytes, 109

Koizumi, S. and Sone, T., Regulation of metallothionein production in HeLa cells, 73
Komatsu, T., see Ogawa, Y., 59

Lampelo, S., see Haataja, L., 187
Leahy, H.F., see DelRaso, N.J., 41
Lötjönen, S., see Haataja, L., 187
Lu, F.C. and Sielken, Jr. R.L., Assessment of safety/risk of chemicals: inception and evolution of the ADI and dose–response modeling procedures, 5

Ma, X., Gibbons J.A. and Babish, J.G., Benzo[*e*]pyrene pretreatment of immature, female C57BL/6J mice results in increased bioactivation of aflatoxin B1 in vitro, 51
Martin, M.L. and Regan, C.M., Transient heat shock in mid-G1-phase of the C6 glioma cell cycle impairs entry into S-phase, 197
Martinez, F., see Chen, G.-J., 81
McCooey, K.T., see Hurtt, M.E., 229
Moody, D.E., Narloch B.A., Shull L.R. and Hammock, B.D., The effect of structurally divergent herbicides on mouse liver xenobiotic-metabolizing enzymes (P-450-dependent monooxygenases, epoxide hydrolases and glutathione *S*-transferases) and carnitine acetyltransferase, 175

Narloch, B.A., see Moody, D.E., 175
Notten, W.R.F., see van Raaij, J.A.G.M., 101

Ogawa, Y., Komatsu T., Fujikake N., Fujii T. and Tanaka, J., Neurotoxic effects of 2,5-hexanedione on growing peripheral nerve axons of rat fetuses, 59
Olkowski, A.A., Gooneratne S.R. and Christensen, D.A., The effects of thiamine and EDTA on biliary and urinary lead excretion in sheep, 153
Olson, M.J. and Surbrook, S.E., Defluorination of the CFC-substitute 1,1,1,2-tetrafluoroethane: comparison in human, rat and rabbit hepatic microsomes, 89

Petering, D.H., see Zettergren, L.D., 221
Pillai, R., see Poet, T.S., 147
Pillai, R., see Chen, G.-J., 81
Placke, M.E., see Hurtt, M.E., 229
Poet, T.S., Pillai R., Wood, S. and Watson R.R., Stimulation of natural killer cell activity by murine retroviral infection and cocaine, 147

Regan, C.M., see Martin, M.L., 197
Richards, J., see Gordon, C.J., 161
Roberts, J.C. and Francetic, D.J., Time course for the elevation of glutathione in numerous organs of L1210-bearing CDF1 mice given the L-cysteine prodrug, RibCys, 245
Rozman, K., see Stahl, B.U., 65

Shull, L.R., see Moody, D.E., 175
Sielken Jr., R.L., see Lu, F.C., 5
Sone, T., see Koizumi, S., 73
Srivastava, R.C., see Srivastava, S., 125
Srivastava, S., Gupta S., Behari J.R. and Srivastava, R.C., Mobilization of cadmium by liposome-encapsulated *meso*-2,3-dimercaptosuccinic acid in pre-exposed mice, 125
Stahl, B.U., Alper R.H. and Rozman, K., Depletion of brain serotonin does not alter 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD)-induced starvation syndrome in the rat, 65
Surbrook, S.E., see Olson, M.J., 89

Tanaka, J., see Ogawa, Y., 59
Thurman, R.G., see Hijioka, T., 239
Tomokuni, K., Ichiba M. and Hirai, Y., Elevated urinary excretion of β-aminoisobutyric acid and δ-aminolevulinic acid (ALA) and the inhibition of ALA-synthase and ALA-dehydratase activities in both liver and kidney in mice exposed to lead, 169
Tuomisto, J., see Haataja, L., 187
van Raaij, J.A.G.M., Berg K.J. v.d. and Notten, W.R.F., Hexachlorobenzene and its metabolites pentachlorophenol and tetrachlorohydroquinone: interaction with thyroxine binding sites of rat thyroid hormone carriers ex vivo and in vitro, 101

Vartiainen, T., see Haataja, L., 187

Watson, R.R., see Chen, G.-J., 81
Watson, R.R., see Poet, T.S., 147
Weber, D.N., see Zettergren, L.D., 221

Wei, C.I., Huang T.S., Fernando S.Y. and Chung, K.T., Mutagenicity studies of kojic acid, 213
Wood, S., see Poet, T.S., 147

Yang, K.H., see Kim, B.R., 109

Zettergren, L.D., Conrad C.A., Petering D.H., Weber D.N. and Goodrich, M.S., Immunochemical and immunohistochemical studies of cadmium associated proteins in *Rana* tadpoles, 221

Toxicology Letters, 59 (1991) 259–260
Elsevier

SUBJECT INDEX VOL. 59 (1991)

Acceptable daily intake, 5
Acivicin, 139
Aflatoxin B_1, 51
ALA synthase, 169
δ-Aminolevulinic acid, 169
Anorexia, 65
Assessment of safety/risk, 5
β-Aminoisobutyric acid, 169

Benzo[*e*]pyrene, 51
Binding, 187
Binding sites, 101

Cadmium, 221, 125, 73
Calcium, 239
Carnitine ace- tyltransferase, 175
Carrier, 101
Cerebral capillaries, 133
3-Chloro-4-(dichloromethyl)-5-hydroxy-2(5*H*)-furanone, 187
Chloroethanols, 203
Chlorotrifluoroethylene oligomers, 41
Chromosomal aberrations, 213
Cocaine, 81, 147
Colonic temperature, 161
Cynomolgus monkey, 229
Cysteine prodrug, 245
Cytochrome P-450, 175, 51

Dehydration, 117
5′-Deoxy-5′-*S*-isobutyl-adenosine, 109
Detoxification, 125
Dimethylformamide, 229
Dioxin, 65

EDTA, 153
Elevation, 245
Environmental mutagen, 187
Epoxide hydrolase, 175
2-Ethylhexanol, 239

Feed intake regulation, 65

G1-phase, 197
Gamma-interferon, 81
Glioma, 197
Glutathione, 245
Glutathione *S*-transferase, 175

Haloperidol, 117
Heat shock, 197
Herbicides, 175
Hexachlorobenzene, 101
2,5-Hexanedione, 59
HFC-134a, 89
Human liver, 89
Hyperthermia, 161
Hypothermia, 161

Immunohistochemical, 221
Immunomodulation, 147
Interleukin-1, 81
Interleukin-2, 81

Kojic acid, 213

Lead, 153
Lead-exposed mice, 169
Liposomes, 125
Liver, 41
Liver mitochondria, 203
LP-BM5 murine leukemia virus, 147
Lymphoproliferation, 109

Mathematical modeling, 5
Mercuric chloride, 133
Metabolism, 117
Metallothionein, 221, 73
Mg^{2+}-ATPase, 133
Microsomal defluorination, 89
MPTP, 117
Murine AIDS, 147
Mutagenicity, 213

Na^+/K^+-ATPase, 133
Natural killer cell, 147

Nephrotoxicity, 139
Neurotoxicity, 133

3.1 Oil, 41

Pentachlorophenol, 101
Peripheral nerve, 59
Phylogenetic, 221
Potassium dichromate, 139
Probenecid, 139
Proliferation rate, 197
Protein *N*-methylation of arginyl residues, 109

Serotonin, 65
Sinefungin, 109
Sister chromatid exchanges, 213
Skin temperature, 161
Soluble interleukin-2 receptor, 81

2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (TCDD), 65
Tetrachlorohydroquinone, 101
1,1,1,2-Tetrafluoroethane, 89
Thiamine, 153
Thiazolidine, 245
Thyroxine, 101
Toxicity, 153

Uncoupling of oxidative phosphorylation, 203
Urinary excretion, 169

Wy-14,643, 239